

Coffeepure Tabs (065221)

Safety Data Sheet

Auskunftgebender Bereich:

*Schaerer Ltd.
P.O Box Allmendweg 8, 4528 Zuchwil
Switzerland
Tel: +41 (0)32 681 62 00
Fax: +41 (0)32 681 63 26*

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking


- **1.1 Product identifier**
- **Trade name:** *Coffeepure Tabs*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation:** *Espresso cleaning tablets*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

<i>Urnex Brands, Inc.</i>	<i>Urnex Brands, Inc.</i>
<i>700 Executive Blvd.</i>	<i>29 Harley Street, London, W1G 9QR</i>
<i>Elmsford, NY 10523 USA</i>	<i>United Kingdom</i>
<i>Phone: +1-914-963-2042</i>	<i>Tel: +44 (0)20 7927 6881</i>
<i>Fax: +1-914-963-2145</i>	
<i>Email: info@urnex.com</i>	
- **Further information obtainable from:**

<i>Urnex Brands, Inc.</i>	
<i>700 Executive Blvd.</i>	
<i>Elmsford, NY 10523 USA</i>	
<i>Phone: +1-914-963-2042</i>	
<i>Fax: +1-914-963-2145</i>	
<i>Email: info@urnex.com</i>	
- **1.4 Emergency telephone number:**

<i>Tel.: 800-424-9300 (USA)</i>	
<i>Tel.: 001-703-527-3887 (INTERNATIONAL COLLECT ACCEPTED)</i>	

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Xi; Irritant
R36/38: Irritating to eyes and skin.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**
- 
- **GHS07**
- **Signal word** *Warning*

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

Trade name: Coffeepure Tabs

(Contd. of page 1)

- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- **Precautionary statements**

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not determined

- **vPvB:** Not determined

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**

- **Dangerous components:**

CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	sodium carbonate ☒ Xi R36 ⚠ Eye Irrit. 2, H319	< 35%
CAS: 15630-89-4 EINECS: 239-707-6	disodium carbonate, compound with hydrogenperoxide (2:3) ☒ Xn R22; ☒ Xi R41; ☒ O R8 ⚠ Ox. Liq. 2, H272; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	< 22%
CAS: 5329-14-6 EINECS: 226-218-8 Index number: 016-026-00-0	sulphamidic acid ☒ Xi R36/38 R52/53 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	< 20%
CAS: 25322-68-3 NLP: 500-038-2	Polyethylene glycol ⚠ STOT SE 3, H335	< 12%
CAS: 68439-46-3	Alcohols, C9-11, ethoxylated ☒ Xn R22; ☒ Xi R36/38 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 2.5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:**

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

Trade name: Coffeepure Tabs

(Contd. of page 2)

- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Wear protective clothing.
Avoid formation of dust.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Any unavoidable deposit of dust must be regularly removed.
- **Information about fire and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

Trade name: Coffeepure Tabs

(Contd. of page 3)

- **Further information about storage conditions:**
Store under lock and key and out of the reach of children.
Protect from humidity and water.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Do not inhale dust / smoke / mist.
Avoid contact with the eyes and skin.
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

Avoid direct contact with the chemical/ the product/ the preparation by organizational measures.
To avoid skin problems reduce the wearing of gloves to the required minimum.
Check protective gloves prior to each use for their proper condition.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
> 480 min
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:** Nitrile rubber, NBR
- **As protection from splashes gloves made of the following materials are suitable:** Natural rubber, NR
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

- **pH-value (10 g/l) at 20 °C:** 10.04 - 11.08

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

Trade name: Coffeepure Tabs

(Contd. of page 4)

· Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
· Flash point:	Not determined.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties	No
· Vapour pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Reacts with strong acids and oxidizing agents.
Reducing agent
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

497-19-8 sodium carbonate

Oral	LD50	4090 mg/kg (Rat)
------	------	------------------

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

Trade name: Coffeepure Tabs

(Contd. of page 5)

15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

Oral LD50 1034 mg/kg (Rat)

5329-14-6 sulphamidic acid

Oral LD50 3160 mg/kg (Rat)

25322-68-3 Polyethylene glycol

Oral LD50 >10000 mg/kg (Rat)

Dermal LD50 >20000 mg/kg (Rabbit)

68439-46-3 Alcohols, C9-11, ethoxylated

Oral LD50 >500-5000 mg/kg (Rat)

Dermal LD50 >2000 ≤ 20000 mg/kg (Rabbit)

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

· **Toxicokinetics, metabolism and distribution** No further relevant information available.· **Acute effects (acute toxicity, irritation and corrosivity)** No further relevant information available.· **Repeated dose toxicity** No further relevant information available.· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

No further relevant information available.

* **SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:** No further relevant information available.· **12.2 Persistence and degradability**

Anorganic product, is not eliminable from water by means of biological cleaning processes.
The organic portion of the product is biodegradable.

· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not determined· **vPvB:** Not determined· **12.6 Other adverse effects** No further relevant information available.* **SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation:** Smaller quantities can be disposed of with household waste.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 24.03.2014

Version No: 8

Revision: 24.03.2014

Trade name: Coffeepure Tabs

(Contd. of page 7)

*R36/38 Irritating to eyes and skin.**R41 Risk of serious damage to eyes.**R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**R8 Contact with combustible material may cause fire.***· Department issuing SDS:**

Chemservice GmbH

Von-Steuben-Str. 13

D-67549 Worms

Tel.: +49 (0)6241-95480-0

Fax: +49 (0)6241-95480-25

Email: sds@chemservice-group.com

· Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

UN: United Nations (also UNO: United Nations Organization)

PBT: persistent, bioaccumulative and toxic

vPvB: very persistent and very bioaccumulative

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

ASTM: American Society for Testing and Materials

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Ox. Liq. 2: Oxidising Liquids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· * Data compared to the previous version altered.